

CH1 S₁₁ log MAG 10 dB/ REF 0 dB 31 _: - 21.84 dB

IPP-4011 VSWR

2 500.000 000 MHz

Cor

1 _: - 30.083 dB

1 GHz

SCALE

2 _: - 28.831 dB

1.75 GHz


10 dB / div

f

D

START 1 000.000 000 MHz

STOP 2 500.000 000 MHz



CH2 S₂₁&M log MAG .9 dB/ REF -6 dB 31_ : -6.1206 dB

IPP-4011 Amp. Bal.


2 500.000 000 MHz

1_ : -5.8554 dB
1 GHz

SCALE

2_ : -6.8018 dB
1.75 GHz

.9 dB/div




Cor

f

START 1 000.000 000 MHz

STOP 2 500.000 000 MHz

CH2 S21 log MAG 10 dB/ REF 0 dB 11_ : -16.509 dB



CH2 S₂₁/M phase

5 ° / REF - 90 °

31 _ : - 92.40 ↑

IPP-4011 Phase

2 500.000 000 MHz

1 _ : - 89.129
1 GHz

S C A L E

21 _ : - 89.693
1.75 GHz

5 ° / d i v



C o r

f

START 1 000.000 000 MHz

STOP 2 500.000 000 MHz