


Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [F1]

>1	400.00000	MHz	-23.424	dB
2	700.00000	MHz	-25.366	dB
3	1.0000000	GHz	-25.668	dB

IPP-1068 VSWR




1 Start 400 MHz

IFBW 1 kHz


Stop 1 GHz Cor !

Tr1 S21 Phase 5.000°/ Ref 0.000° [RT D/M]




IPP-1068 Phase & Loss J1-J2, J1-J3


Tr2 S21 Log Mag 500.00dB/ Ref -6.000dB [RT D&M]




Tr1 S21 Phase 5.000°/ Ref 0.000° [RT D/M]




Tr2 S21 Log Mag 500.00dB/ Ref -6.000dB [RT D&M]



Tr1 S21 Phase 5.000°/ Ref 0.000° [RT D/M]




Tr2 S21 Log Mag 500.00dB/ Ref -6.000dB [RT D&M]



▶ Tr2 S21 Log Mag 10.00dB/ Ref -10.00dB [RT]

IPP-1068 Isolation J3-J2

>1	400.00000	MHz	-12.013	dB
2	700.00000	MHz	-30.829	dB
3	1.0000000	GHz	-11.899	dB



1 Start 400 MHz


IFBW 1 kHz

Stop 1 GHz Cor

▶ Tr2 S21 Log Mag 10.00dB/ Ref -10.00dB [RT]

IPP-1068 Isolation J3-J4

>1	400.00000	MHz	-18.603	dB
2	700.00000	MHz	-33.255	dB
3	1.0000000	GHz	-21.603	dB



1 Start 400 MHz

IFBW 1 kHz

Stop 1 GHz Cor !